



EFFECTIVE AREA PUSH-44.18 SQ.IN. [285,03 SQ.CM.]
 EFFECTIVE AREA PULL-22.53 SQ.IN. [145,35 SQ.CM.]
 OIL CAP. PUSH-265 CU.IN. [4342,6 CU.CM.]
 OIL CAP. PULL-135 CU.IN. [2212,2 CU.CM.]
 INTERNAL PRESSURE AT CAP. PUSH 9054 P.S.I. [624,4 BAR]
 INTERNAL PRESSURE AT CAP. PULL 10,000 P.S.I. [689,7 BAR]
 FORCE PUSH 400,000 LBS. [181440 KG.]
 FORCE PULL 225,310 LBS. [102200 KG.]
 STROKE 6.00 IN. [152,4 MM]
 BORE Ø 7.50 [190,5 MM.]
 WEIGHT

E16439 CHG.C SPM 9-25-88	DATE	DIMENSIONS IN BRACKETS ARE IN [mm]		ENERPAC	13000 WEST SILVER SPRING DR. BUTLER, WISCONSIN 53007		
	CHANGES	Specification Sheet			 	DESCRIPTION 200 TON CYLINDER	
	ECO	MODEL NO.	RR 2006	DR. SPM		DATE 9-29-88	DRAWING NO.
				CH. GJB	DATE 11-17-89		D11872 B